

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	111	((Gustavsson near2 Carl) or (Loof near2 Gustaf) or (Andersson near2 Stefan) or (Dahl near2 Stefan)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 13:55
S2	3	((Gustavsson near2 Carl) or (Loof near2 Gustaf) or (Andersson near2 Stefan) or (Dahl near2 Stefan)).in. (authenticat\$5 communicat\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 13:56
S3	165	380/247.ccls. (@ad<"20020308") (authenticat\$6 messag\$4 communicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 13:59
S7	3	("380"/\$.ccls. or "713"/\$.ccls.) (@ad<"20020308") (authenticat\$6 messag\$4 communicat\$4) ((synchroniz\$4 near protocol) or (syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:01
S8	4	("380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) (@ad<"20020308") (authenticat\$6 with messag\$4 with (synchroniz\$4 near protocol) or (syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:04
S10	3	(@ad<"20020308") (authenticat\$6 with messag\$4 with (synchroniz\$4 near protocol or syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:05
S11	18	(@ad<"20020308") (authenticat\$6 with messag\$4) ((synchroniz\$4 near protocol or syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:07

S12	23	(@ad<"20020308") (authenticat\$6 with messag \$4) (synchroniz\$4 or syncML) (GSM UMTS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:12
S13	18	S12 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:12
S14	62	(authenticat\$6 near3 (protocol or method or process\$4))(syncML or (synchroni\$7 near protocol)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 16:00
S15	2872	(GSM UMTS) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:36
S16	13	(WPKI) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:36
S17	40	(secureID or safeword) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:37
S18	4	(secureID or safeword)(GSM) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:37
S19	341	(GSM UMTS SIM) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:39

S20	29	(GSM UMTS SIM USIM) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:39
S23	10	(WPKI) (wireless authenticat \$5)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:42
S24	1	(WPKI) (wireless authenticat \$5).ab. (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:43
S25	5	(GSM UMTS SIM USIM) (authenticat\$5).ab. (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:53
S26	297	(authentication near capabilit \$4)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:00
S27	235	(authentication adj capabilit \$4)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:02
S28	24	(authentication near protocol)(authentication adj capabilit\$4) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:02
S29	1	("713"/\$.ccls. or "726"/\$. ccls.) (@ad<"20020308") (authenticat\$6 with messag \$4 with (synchroniz\$4 near protocol) or (syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:07

S30	3	("726"/\$.ccls.) (@ad<"20020308") (authenticat\$6 with messag \$4)( (synchroniz\$4 near protocol) or (syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:07
S31	1	(GSM UMTS SIM USIM)(key MAC HMAC) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:08
S33	225	(key near5 encrypt\$4 with (public adj key))((generat\$4 or creat\$4 or comput\$4) near3 MAC) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:25
S35	51	(key near5 encrypt\$4 with (public adj key))((generat\$4 or creat\$4 or comput\$4) near3 MAC)(HMAC) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:26
S39	29	(key near5 encrypt\$4 with (public adj key))((generat\$4 or creat\$4 or comput\$4) near3 MAC)(HMAC) (authenticat\$4 wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:27
S40	18	(key near5 encrypt\$4 with using with (public adj key)) ((generat\$4 or creat\$4 or comput\$4) near3 MAC) (HMAC)(authenticat\$4 wireless)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:45
S41	2	(key near5 encrypt\$4 with (public adj key))((generat\$4 or creat\$4 or comput\$4) near3 MAC)(HMAC)(\$2SIM) (authenticat\$4 wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 11:08
S44	12	((session or cipher or encrypt \$4 or secret) near key near5 encrypt\$4 with using with (public adj key))((generat\$4 or creat\$4 or comput\$4) near3 MAC)(HMAC) (authenticat\$4 wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 11:15

S45	1	((cipher or encrypt\$4) adj key) or CK((integrity adj key) or IK)((generat\$4 or creat\$4 or comput\$4) near3 MAC)(\$2SIM)(HMAC) (authenticat\$4 wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 11:33
S46	254	(secure\$2ID or safe\$2word or (secure adj id) or (safe adj word)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:15
S47	1061	((IK or ((itegrity or secret or session or secur\$4) adj key)) near3 encrypt\$4 with (public adj key)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:16
S48	13	(WPKI)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:18
S49	10	(WPKI)(authenticat\$4) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:21
S50	11	(WPKI or (WAP adj (PKI or (Public adj Key adj Infrastructure))))(authenticat\$4 server (client or device)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:24
S51	671	((IK or ((itegrity or secret) adj key)) near3 encrypt\$4 with (public adj key)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:26
S52	4	((IK or ((itegrity or secret) adj key)) near3 encrypt\$4 with (public adj key)) (authentication with message with wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:26

S53	1	(secure\$2ID or safe\$2word or (secure adj id) or (safe adj word))(authentication with message with wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:42
S54	1	(secure\$2ID or (secure adj id)) (safe\$2word or (safe adj word)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:54
S55	100	((IK or ((integrity or secret) adj key)) near3 encrypt\$4 with (public adj key) with (apparatus or device or phone or PDA)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 14:16
S56	3	((IK or ((integrity or secret) adj key)) near3 encrypt\$4 with (public adj key) with (apparatus or device or phone or PDA)) (authentication with wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 14:17
S57	15	((IK or ((integrity or secret) adj key)) near3 encrypt\$4 with (public adj key) with (apparatus or device or phone or PDA)) (authentication with message) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 14:18
S58	23	(authentication near5 (mechanism method protocol) near5 indicator) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 09:21
S59	15	(authentication near5 (mechanism method protocol) near5 indicator) AND (messag\$4 with authenticat\$4) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 09:24

10/2/2008 3:43:59 PM

C:\Documents and Settings\lpham7\My Documents\EAST\Workspaces\10\10-506-943.wsp